


## Frese Z=1 - elica sinistra e taglio destro

Linea "ULTRA Ra" con gole lappate

### Single Flute routers Left hand Spiral - Right hand cut

"ULTRA Ra" Speed Line with fine lapped chip flutes



#### Settori d'impiego / Range of application



A: Leghe leggere / Light alloys

A1.1-1.6 A2.1-2.6 A3.1-3.2 A4.1-4.2

B: Plastiche - Plastiche rinforzate con fibre

B: *Plastics - Reinforced plastic fibres*

B1.1-1.3 B1.5-1.6 B2.1-2.4



2.  
05

D <sub>c</sub> h10	L2	L1	D2 h6	111	111G
					Rivestite / Coated
1,5	6	40	3	111.015030640	111.015030640G
2	6	40	3	111.020030640	111.020030640G
2	10	40	2	111.020021040	111.020021040G
2	5	50	6	111.020060550	111.020060550G
2	10	60	6	111.020061060	111.020061060G
2,5	6	40	2,5	111.025250640	111.025250640G
3	12	40	3	111.030031240	111.030031240G
3	7	50	6	111.030060750	111.030060750G
3	10	60	6	111.030061060	111.030061060G
3	12	60	6	111.030061260	111.030061260G
3	15	60	6	111.030061560	111.030061560G
4	15	40	4	111.040041540	111.040041540G
4	9	50	6	111.040060950	111.040060950G
4	12	60	6	111.040061260	111.040061260G
4	15	60	6	111.040061560	111.040061560G
4	20	75	6	111.040062075	111.040062075G
5	11	50	6	111.050061150	111.050061150G
5	16	50	5	111.050051650	111.050051650G
5	16	60	6	111.050061660	111.050061660G
5	28	75	6	111.050062875	111.050062875G
6	13	50	6	111.060061350	111.060061350G
6	20	60	6	111.060062060	111.060062060G

D <sub>c</sub> h10	L2	L1	D2 h6	111	111G
					Rivestite / Coated
6	22	60	6	111.060062260	111.060062260G
6	30	60	6	111.060063060	111.060063060G
6	35	75	6	111.060063575	111.060063575G
8	17	63	8	111.080081763	111.080081763G
8	22	63	8	111.080082263	111.080082263G
8	35	75	8	111.080083575	111.080083575G
8	45	100	8	111.0800845100	111.0800845100G
10	25	72	10	111.100102572	111.100102572G
12	30	83	12	111.120123083	111.120123083G
14	30	83	14	111.140143083	111.140143083G
16	35	92	16	111.160163592	111.160163592G
20	40	104	20	111.2002040104	111.2002040104G